

AMENDMENTS TO THE CLAIMS

1. (Original) A line-on glass liquid crystal display panel, comprising:
a picture display part with a matrix of liquid crystal cells;
a plurality of line-on glass type signal lines located in an outer area of the picture display part for applying drive signals to drive the liquid crystal cells; and
a dummy line formed between the line-on glass type signal lines with at least a layer of insulating film therebetween.
2. (Currently Amended) The line-on glass liquid crystal display panel according to claim 1, further comprising:
first and a second line-on glass signal pads which extend from both sides of the line-on glass type signal ~~lines~~lines.
3. (Original) The line-on glass liquid crystal display panel according to claim 2, further comprising:
first and a second dummy pads that extend from both sides of the dummy line.
4. (Original) The line-on glass liquid crystal display panel according to claim 3, wherein the first and second dummy pads are located between the first and second line-on glass type signal pads.
5. (Original) The line-on glass liquid crystal display panel according to claim 1, wherein the line-on glass type signal lines are formed in a same layer as a gate line of the picture display part.
6. (Original) The line-on glass liquid crystal display panel according to claim 5, wherein the dummy line is formed in a same layer as a data line of the picture display part that crosses the gate line with a gate insulating film therebetween.

7. (Withdrawn) The line-on glass liquid crystal display panel according to claim 6, wherein the dummy line is located between the line-on glass type signal lines with the gate insulating film therebetween.

8. (Withdrawn) The line-on glass liquid crystal display panel according to claim 5, wherein the dummy line is formed in a same layer as a pixel electrode of the picture display part.

9. (Withdrawn) The line-on glass liquid crystal display panel according to claim 8, wherein the dummy line is located between the line-on glass type signal lines with a gate insulating film and a protective film therebetween, and the gate insulating film and the protective film are formed to cover the gate line.

10. (Original) The line-on glass liquid crystal display panel according to claim 1, wherein the dummy line transmits a common voltage.

11. (Original) The line-on glass liquid crystal display panel according to claim 1, wherein the dummy line transmits a ground voltage.

12. (Original) A fabricating method of a line-on glass liquid crystal display panel, comprising:

forming a plurality of line-on glass signal lines in an outer area of a picture display part;

forming at least one layer of insulating film to cover the line-on glass type signal lines;

and

forming a dummy line that is located between the line-on glass signal lines on the insulating film.

13. (Original) The fabricating method according to claim 12, further comprising:

forming a gate line of the picture display part on a substrate and a gate electrode

connected to the gate line;

forming a gate insulating film on the substrate on which the gate line and the gate electrode are formed;

forming a semiconductor layer on the gate insulating film;

forming a data line crossing the gate line, a source electrode connected to the data line, and a drain electrode opposite to the source electrode with a designated gap therebetween, on the substrate on which the semiconductor is formed;

forming a protective film on the substrate where the data line, the source electrode and the drain electrode are formed; and

forming a pixel electrode connected to the drain electrode on the protective film.

14. (Original) The fabricating method according to claim 13, wherein the line-on glass signal line is formed of a same metal as a gate line.

15. (Original) The fabricating method according to claim 14, wherein the dummy line is formed of a same metal as the data line.

16. (Original) The fabricating method according to claim 15, wherein the dummy line is formed between the line-on glass type signal lines with the gate insulating film therebetween.

17. (Original) The fabricating method according to claim 14, wherein the dummy line is formed of a same metal as a pixel electrode.

18. (Withdrawn) The fabricating method according to claim 17, wherein the dummy line is formed between the line-on glass type signal lines with the gate insulating film and the protective film therebetween.

19. (New) A line-on glass liquid crystal display panel, comprising:

a picture display part with a matrix of liquid crystal cells;
a plurality of line-on glass type signal lines located in an outer area of the picture display part of a lower substrate for applying drive signals to drive the liquid crystal cells; and
a plurality of common voltage signal lines for applying a common voltage signal and being formed between gate signal lines,
wherein at least one of the plurality of common voltage lines applies the common voltage signal through a silver(Ag) dot to a common electrode that is formed on an entire surface of an upper substrate.

20. (New) The line-on glass liquid crystal display panel according to claim 19, wherein the gate signal lines are Vgl, Vcc, Vgh, GOE, GSC, and GSP.

21. (New) A line-on glass liquid crystal display panel, comprising:
a picture display part with a matrix of liquid crystal cells;
a plurality of line-on glass type signal lines located in an outer area of the picture display part of a lower substrate for applying drive signals to drive the liquid crystal cells; and
a plurality of dummy lines formed between gate signal lines,
wherein the plurality of dummy lines comprise common voltage or ground voltage lines.

22. (New) The line-on glass crystal display panel according to claim 21, wherein the gate signal lines are Vgl, Vcc, Vgh, GOE, GSC, and GSP.

23. (New) The line-on glass liquid crystal display panel according to claim 21, wherein the common voltage line applies the common voltage signal through a silver (Ag) dot to a common electrode that is formed on an entire surface of an upper substrate of the display panel.